# SAFETY DATA SHEET



Revision date: 19-Mar-2024

**Revision Number** 1

# Section 1: Identification

Product identifier

Product Name Actflex Crystal Coat Part A

**Product Code(s)** 000000067703

Other means of identification

Recommended use of the chemical and restrictions on use

**Recommended use** Component of a polyaspartic system.

**Uses advised against** No information available.

**Details of manufacturer or importer** 

Supplier

The Waterproofing Shop 22/872 Canterbury Road, Roselands NSW 2196 Australia

Tel.: +61 2 8021 3517

https://thewaterproofingshop.com.au

### Emergency telephone number

Emergency telephone number 0424 424 178 or Poisons Information 13 11 26

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

# Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

### **GHS Classification**

Skin corrosion/irritation	Category 2
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1A
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 3
Chronic aquatic toxicity	Category 3

### Label elements

Exclamation mark Health hazard



#### Signal word DANGER

#### **Hazard statements**

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H340 - May cause genetic defects

H350 - May cause cancer

H412 - Harmful to aquatic life with long lasting effects

### **Precautionary Statements - Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray.

In case of inadequate ventilation wear respiratory protection.

Wash hands thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves and protective clothing.

Avoid release to the environment.

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

### **Precautionary Statements - Storage**

Store locked up.

### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

### Other hazards which do not result in classification

# Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Aspartic acid,	136210-30-5	> 60%
N,N'-(methylenedi-4,1-cyclohexanediyl)bis-,		
tetraethyl ester		
Polyoxyalkylenes, amine phosphate	398475-96-2	< 5%
Alkyl (C12-14) glycidyl ether	68609-97-2	< 5%
Solvent naphtha (petroleum), light aromatic	64742-95-6	< 1%
Toluene	108-88-3	< 1%
Non-hazardous ingredients	Proprietary	Balance

## Section 4: First aid measures

### **Description of first aid measures**

**General advice** 

For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

**Inhalation** Remove to fresh air. Medical aid is necessary if symptoms appear to be an obvious

consequence of inhalation.

**Eye contact**Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Immediately flush eyes or skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. If skin irritation or rash occurs: Get medical

advice/attention.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. May cause sensitization by skin contact.

# Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Dry chemical, CO2, sand, earth, water spray or regular foam.

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

### Section 6: Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal

protective equipment as required. Special danger of slipping by leaking/spilling product.

Other information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if

significant spillages cannot be contained. See Section 12 for additional Ecological

Information.

### Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal.

# Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. Take off contaminated clothing and

wash before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong acids. Strong oxidizing agents.

# Section 8: Exposure controls and personal protection

### Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for constituent(s):

Che	emical name	Australia	New Zealand	ACGIH TLV
	Toluene	TWA: 50 ppm	TWA: 20 ppm	TWA: 20 ppm
	108-88-3	TWA: 191 mg/m³ STEL: 150 ppm STEL: 574 mg/m³	TWA: 75 mg/m³ STEL: 100 ppm STEL: 377 mg/m³	Ototoxicant - potential to cause hearing disorders
		· ·	Sk*	

Chemical name	European Union	United Kingdom	Germany DFG
Toluene	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm
108-88-3	TWA: 192 mg/m <sup>3</sup>	TWA: 191 mg/m <sup>3</sup>	TWA: 190 mg/m <sup>3</sup>
	*	STEL: 100 ppm	Peak: 100 ppm
		STEL: 384 mg/m <sup>3</sup>	Peak: 380 mg/m <sup>3</sup>
		Sk*	Sk*

Chemical name	Australia	ACGIH	European Union
Toluene	-	0.02 mg/L	-
108-88-3		0.03 mg/L	
		0.3 mg/g creatinine	

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes,

which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

Hand protection Protective gloves.

exceeded or irritation is experienced, ventilation and evacuation may be required. If

determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator

meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls 
Do not allow into any sewer, on the ground or into any body of water. Local authorities

should be advised if significant spillages cannot be contained.

Thermal hazards No information available.

## Section 9: Physical and chemical properties

### Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available

**Color** Various

Odor No information available No information available

Property Values Remarks • Method

pHNo data availableNone knownpH (as aqueous solution)No data availableNone knownMelting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash point > 95°C

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 1.18

Water solubility Miscible in water

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone known

**Dynamic viscosity** 1100 cP

Other information

No information available

# Section 10: Stability and reactivity

Reactivity

**Reactivity** No information available.

Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Excessive heat.

Incompatible materials

**Incompatible materials** Strong acids. Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides.

# Section 11: Toxicological information

Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety

Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is

mishandled and overexposure occurs are:

**Inhalation** Inhalation of vapors in high concentration may cause irritation of respiratory system.

**Eye contact** May cause irritation.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Symptoms** Erythema (skin redness). May cause allergic skin reaction.

Acute toxicity .

#### Numerical measures of toxicity - Product Information

No information available

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Alkyl (C12-14) glycidyl ether	= 17100 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	-
Solvent naphtha (petroleum), light aromatic	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3400 ppm (Rat) 4 h
Toluene	= 2600 mg/kg (Rat)	= 12000 mg/kg ( Rabbit )	= 12.5 mg/L (Rat)4 h

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Irritating to skin.

Serious eye damage/eye irritation May cause slight irritation.

**Respiratory or skin sensitization** May cause sensitization by skin contact.

**Germ cell mutagenicity** May cause heritable genetic damage.

**Carcinogenicity** Contains a known or suspected carcinogen.

Chemical name	Australia	European Union	IARC
Solvent naphtha (petroleum), light aromatic -	Carc. 1A	Carc. 1B	-
64742-95-6			
Toluene - 108-88-3	-	-	Group 3

### IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

# Section 12: Ecological information

## **Ecotoxicity**

**Aquatic ecotoxicity** 

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Solvent naphtha (petroleum),	-	LC50: =9.22mg/L (96h,	-	EC50: =6.14mg/L (48h,
light aromatic		Oncorhynchus mykiss)		Daphnia magna)
Toluene	EC50: >433mg/L (96h,	LC50: 15.22 -	-	EC50: 5.46 - 9.83mg/L
	Pseudokirchneriella	19.05mg/L (96h,		(48h, Daphnia magna)
	subcapitata)	Pimephales promelas)		EC50: =11.5mg/L (48h,
	EC50: =12.5mg/L (72h,			Daphnia magna)
	Pseudokirchneriella	Pimephales promelas)		
	subcapitata)	LC50: 5.89 - 7.81mg/L		
		(96h, Oncorhynchus		
		mykiss)		
		LC50: 14.1 - 17.16mg/L		
		(96h, Oncorhynchus		
		mykiss)		
		LC50: =5.8mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 11.0 - 15.0mg/L		
		(96h, Lepomis		
		macrochirus)		
		LC50: =54mg/L (96h,		
		Oryzias latipes)		
		LC50: =28.2mg/L (96h,		
		Poecilia reticulata)		
		LC50: 50.87 -		
		70.34mg/L (96h,		
		Poecilia reticulata)		

# **Terrestrial ecotoxicity**

Chemical name	Earthworm	Avian	Honeybees
Solvent naphtha (petroleum), light	-	Acute Oral Toxicity: LD50 >	-
aromatic		2250 mg/kg (Colinus	
		virginianus)	
		Source: IUCLID	
		Dietary Toxicity: LC50 > 6500	
		ppm (Colinus virginianus 5	
		Days)	
		Source: IUCLID	

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
Alkyl (C12-14) glycidyl ether	3.77
Toluene	2.73

**Mobility** 

**Mobility** No information available.

Other adverse effects

Other adverse effects No information available.

### Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Dispose of contents/containers in accordance with local regulations.

See section 8 for more information

# Section 14: Transport information

ADG Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code

(ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

IATA Not classified as Dangerous Goods by the criteria of the International Air Transport

Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS

GOODS.

**IMDG**Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

# Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

#### Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

See section 8 for national exposure control parameters

#### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Contact supplier for inventory compliance status

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Aspartic acid, N,N'-(methylenedi-4,1-cyclohexanediyl )bis-, tetraethyl ester - 136210-30-5		Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.
Polyoxyalkylenes, amine phosphate - 398475-96-2		Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.
Alkyl (C12-14) glycidyl ether - 68609-97-2	Present	-
Solvent naphtha (petroleum), light aromatic - 64742-95-6	Present	-
Toluene - 108-88-3	Present	-

#### **Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemical name	Illicit Drug Precursors/Reagents
Toluene - 108-88-3	Category 3

Chemical name	National pollutant inventory
Toluene - 108-88-3	10 tonne/yr Threshold category 1

### **International Inventories**

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

Contact supplier for inventory compliance status. **NZIoC** Contact supplier for inventory compliance status. **TSCA** Contact supplier for inventory compliance status. DSL/NDSL Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status.

# Legend:

**AllC- Australian Inventory of Industrial Chemicals** 

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## Section 16: Other information

Supplier Safety Data Sheet 11/2023

Reason(s) For Issue: First Issue Primary SDS

Prepared By This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and

SDS Services).

Issuing Date 19-Mar-2024

Revision date: 19-Mar-2024

**Revision Note:** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since The Supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Supplier representative or The Supplier at the contact details on page 1.

The Supplier's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**